


Scenarios to determine when you can end isolation or quarantine
(Updated 8/27/2020)

Scenario 1: I have tested positive for COVID-19 and have shown no signs or symptoms.

I have received a test for COVID-19 and the test results have come back Positive. I have not experienced any signs or symptoms as listed by the CDC.

Your last day of isolation is 10 days after the date of your first positive test.



Scenario 2: I have tested positive for COVID-19 and develop symptoms.

I have received a test for COVID-19 and the test results have come back Positive. I have developed signs or symptoms as listed by the CDC.

I may discontinue isolation under the following conditions:


- At least 10 days have passed since symptom onset **and**
- At least 24 hours have passed since resolution of fever without the use of fever-reducing medications **and**
- Other symptoms have improved.



Scenario 3: Close contact with someone who has COVID-19 – will not have further close contact.

I will not have further contact or interactions with the person while they are sick (e.g., co-worker, neighbor, or friend).


Your last day of quarantine is 14 days from the date you had close contact.



Scenario 4: Under quarantine and had additional close contact with someone who has COVID-19.

You live with someone who has COVID-19 and started your 14-day quarantine period. You ended up having close contact with the person who is sick during your quarantine. What if another household member gets sick with COVID-19?


You will have to restart your quarantine from the last day you had close contact with anyone in your house who has COVID-19. Any time a new household member gets sick with COVID-19 and you had close contact, you will need to restart your quarantine.



Scenario 5: Live with someone who has COVID-19 and cannot avoid continued close contact. I have shown no signs or symptoms.

I live in a household where I cannot avoid close contact with the person who has COVID-19. I am providing direct care to the person who is sick. I live in close quarters where I am unable to keep a physical distance of 6 feet.


You should avoid contact with others outside the home while the person is sick, and quarantine for 14 days after the person who has COVID-19 meets the criteria to end home isolation. (10 days after their first positive test)



Scenario 6: Live with someone who has COVID-19 and cannot avoid continued close contact. I develop signs or symptoms.

I live in a household where I cannot avoid close contact with the person who has COVID-19. I am providing direct care to the person who is sick. I live in close quarters where I am unable to keep a physical distance of 6 feet.

You should avoid contact with others outside the home while the person is sick, and quarantine for 14 days after the person who has COVID-19 meets the criteria to end home isolation. If at anytime during your 14-day quarantine you develop signs or symptoms, you will now quarantine for 10 day after the date of your first signs or symptoms.



Scenario 7: I develop COVID-19 symptoms and seek a COVID-19 test. My test results come back negative for COVID-19.

If you believe you are experiencing COVID-19 symptoms, you should exclude from work and seek a COVID-19 test. You need to remain off work until you receive your test results.

If your test result for your COVID-19 test comes back negative, you may return to work as long as you are no longer feeling sick.



Scenario 8: I develop COVID-19 symptoms and seek a COVID-19 Test. My test results come back positive for COVID-19.

If you believe you are experiencing COVID-19 symptoms, you should exclude from work and seek a COVID-19 test. You need to remain off work until you receive your test results. If your test result for COVID-19 comes back positive, isolate.

I may discontinue isolation under the following conditions:

- At least 10 days have passed since symptom onset **and**
- At least 24 hours have passed since resolution of fever without the use of fever-reducing medications **and**
- Other symptoms have improved.

